



ISD-BT100 SERIES

Smart Deadbolt with Keypad Reader

- ANSI Grade 2, UL 3-hr fire motorized deadbolt with mechanical key override
- Remote locking/unlocking by Bluetooth Mobile or Gateway, RFID or Passcode
- Intuitive mobile INOX app supports multiple users and properties with real time access management
- Entry function with easily programmable Privacy and Passage modes with optional mechanical key override
- The Patent Pending lock is installed without special door prep and is battery powered

SPECIFICATIONS

Standard Door	1-3/4" (44mm) to 1-3/8 (35 mm)
Thickness	Thick Door Kits available
Backset	2-3/8" (60mm)
Backset	2-3/4" (70mm)
Cylinder & Keys	1" RIM Cylinder, 2 keys included. Keying service available
Deadbolt	1" throw with hardened roller pin UL 3 Hr Fire Rated Bolt Standard
User Capacity	2000 Total (1000 RF + 1000 Passcode)
Keypad	Digital Touchscreen
Material	Stainless Steel Trim Brass Bolt and Cylinder

DPS SPECIFICATIONS

Voltage	100V AC/DC
Current Draw	0.5mA
Power	10V
Dimension	12mm x 18.5mm
Wood Doors	DPS-33A-PH-W-WH Standard
Metal Doors	DPS-36-PH-M-BK Additional cost

FEATURES

- System supports 3 type of Keypad passcodes; auto generated passcode, user-defined passcodes, or 24-hour valid one-time passcode
- Simple Touch-to-Lock, no device or keys needed for secure opening
- Remote Access and Management using Wi-Fi/POE gateway
- High Frequency RF13.56 MHz card, fob, wristband, and sticker
- Passage/Privacy mode can be activated with interior button or through INOX Smart App
- Unit powered by 4 x AA alkaline batteries with secondary 9V power source for emergency access
- User Capacity: 2000 Total (1000 RF/Passcode and 1000 Mobile)
- Audit trails with 100,000 records shows all Lock and Unlock activities

FINISH

- 32D Satin Stainless Steel
- 32 Bright Stainless Steel
- PVD4 Satin Brass
- 19G Graphite Black
- CeraMax Ceramic Coating: C19G Graphite Black, C19 Flat Black, CGY Stormy Grey, CDB Dark Bronze
- Please see Finish Solutions on INOX website for special order finishes



APP CAPABILITIES


- Multi-level user Access and Permission Management
- Remote Locking and Unlocking via BLE/Wi-Fi gateway
- Audit trails with 100,000 records shows all Lock and Unlock activities
- Add, remove, edit and schedule RFID credentials
- Bluetooth, RFID, and Passcode option on Keypad
- Door Positioning Sensor [DPS] with optional cloud monitoring features available on the App
- System supports 3 type of Keypad passcodes;
 - Auto generated passcode
 - User-defined passcodes
 - 24-hour Valid one-time passcode
- Passage and Privacy Mode: One-time and schedule
- Property and Door Information Management
- Cloud-Based Encrypted Authentication
- 2-step Verification Available for Added Security
- Over the Air (OTA) Firmware Update
- Notification on locking abnormalities and battery level
- Global Search Function
- App and Web-based Solutions

Download the INOX SMART App



ISD SMART DEADBOLT KEYPAD READER

DIMENSIONS



HOW TO ORDER LOCKSETS

INOX Smart Deadbolt	Escutcheon	Lock & Function	Backset	Thumbturn	Finish
ISD	-SHK	-BT110F	-B6	-TT04	-32D
	1	2	3	4	5

ESCUTCHEON
SHK = SH Escutcheon with Reader & Keypad


2 LOCK & FUNCTION

- BT110F = BT Fire-Rated Deadbolt, Single Cylinder Function
- BT110 = BT Deadbolt, Single Cylinder Function

3 BACKSET

- B6 = 2-3/8" Backset
- B7 = 2-3/4" Backset

4 THUMBTURN



5 FINISH

